


### **Food and Beverage** Solutions Provider

# ENTRIFUGAL JUICER















# For a high quality juice

The juice extractor #50 makes any kind of fruit and vegetable juices: apple, carrot, ginger, beetroot, cucumber...


It offers and excellent yield and keeps the vitamins and nutritional benefits from the ingredients.

Very quiet and easy to use, it is the ideal appliance for bars, restaurants, hotels, health food stores...









- 2 Extra wide feeding chute Ø 79.5mm
- 3 Locking system: electric cut off and motor braking when opening the handle
- **4 Filter basket:** very fine sieve (0.5mm / 0.02" holes)

**5 High spout:** 200mm. Accepts jugs and blender jars

0,5 mm holes

0,8 mm holes Réf 50200B

- 6 Ezy-clean™ system: removable bowl, basket, cover (no tool needed)
- **7 Pulp container:** 7.5 l (2 gallons)
- 8 Powerful and quiet asynchronous motor



Santos has a 30 years' experience in manufacturing commercial juicers and developing exclusive patented systems to provide the best reliability and efficiency.





# **Perfect filtration** 3 filter baskets available

Standard - 0,5mm holes

delivered with the juicer (ref 50200)

Option - 0,8mm holes

for fibrous ingredients ex: pineapple, ginger (ref 50200B)

**Option - Auto-clean** for intensive use: less cleaning, more yield (réf 50200C).



### **Commercial quality**

Powerful and silent asynchronous

notor.

High output: 1001/h.

Quiet: 65 dBA. Can be used in front

of customers.

Large basket: reducing cleaning.

### Easy to use

XL feeding chute: fits whole apples.

Continuous juice production,

automatic pulp ejection.

Ezy-clean™ system: removable bowl,

basket and covers.

### Safety, standards, hygiene

In accordance with the following regulations	Machinery directive 2006 / 42 / EC
	Electromagnetic compatibility 2014 / 30 / EU
	"Low voltage" directive 2014 / 35 / EU
	RoHS directive 2011 / 65 / EU
	Regulation 1935 / 2004 / EC (contact with food)
	Regulation 10 / 2011 / EU (Plastic in contact with food)
Harmonized European Standards	EN ISO 12100 : 2010
	EN 60204-1 + A1: 2009
	EN 60335-2-64 :2004 Commercial electric kitchen machines
	EN 12547:2014 Juice extractors
	CE Marking, UL (USA) and cUL (Canada), NSF (USA), KC (Korea)
Thermal safety	Motor protected by internal thermal detector and overload protector
Electrical safety	On/Off swicth detects overloading and no voltage
	All mechanical parts are ground connected
	Appliances are 100% tested after assembly
Acoustic safety	Silent asynchronous motor
Mecanical safety	A friction brake immediately stops the basket when opening the handle.
Hygiene	All removable parts can be put in a dishwasher or easily cleaned with hot soapy water

PRODUCT: 2-YEAR WARRANTY | MOTOR: 5-YEAR

# **Technical specifications**

### Motor

Single phase: 220-240 V - 50 / 60 HzV - 800W CE, KC 100 - 120 V - 50 / 60 Hz - 800W CE, UL, NSF

Speed: 3 000 rpm (50Hz) 3 600 rpm (560Hz)





## Appliance W: 260 mm (10")


W: 260 mm (10")
D: 470 mm (19")
H: 450 mm (18")

Net weight: 14,5 Kg (31lbs) W: 315 mm (12") D: 500 mm (20") H: 570 mm (22")

**Shipping box** 

Packed weight: 16,3 Kg (35lbs)







140-150 avenue Roger Salengro BP 80 067 69511 Vaulx-en-Velin Cedex (Lyon) FRANCE Tel: +33 472 37 35 29 Fax: +33 478 26 58 21 Email: santos@santos.fr www.santos.fr

Follow us on #santosaddict social networks





